

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 1/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF 91802
Product name NANOCOLOR Aluminium

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 20 mL Aluminium R1
1 x 20 g Aluminium R2
2 x 100 mL Aluminium R3
2 x 100 mL Aluminium R4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Information not necessary.

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1

2.1 Classification of the substance or mixture

20 mL Aluminium R1

Signal word

Do not need labelling as hazardous
-

Hazard identification	Hazard classes/categories
H290	Met. Corr. 1

20 g Aluminium R2

Signal word

Do not need labelling as hazardous
-

No hazard class

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 2/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

100 mL Aluminium R3

Signal word Do not need labelling as hazardous
-

No hazard class

100 mL Aluminium R4

Signal word Do not need labelling as hazardous
-

No hazard class

2.2 Label elements

Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

20 mL Aluminium R1

Do not need labelling as hazardous
Signal word: -

20 g Aluminium R2

Do not need labelling as hazardous
Signal word: -

100 mL Aluminium R3

Do not need labelling as hazardous
Signal word: -

100 mL Aluminium R4

Do not need labelling as hazardous
Signal word: -

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). The sentence H290 "May be corrosive to metals." has only relevance for longer transportation time of larger amounts. The labelling GHS05 would be creating an "OVERLABELLING"(see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3.). ---

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

20 mL Aluminium R1

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 3/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
 Classification: H290, Met. Corr. 1, H314, Skin Corr. 1B, H331, Acute Tox. 3 inh.
 Formula: $\text{HCl} \cdot \text{H}_2\text{O}$
 Pseudonym: aqueous hydrogen chloride
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119484862-27-xxxx
 EC No.: 231-595-7 Indice No.: 017-002-01-X
 RTECS: MW4025000
 KE No.: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.
 Concentration: 1 - <10 %
 acc. CLP (GHS): H290, Met. Corr. 1

20 g Aluminium R2

Chemical: *L(+)-ascorbic acid* CAS No.: 50-81-7
 Classification: No criteria for classification or naming of chemical not required.
 Formula: $\text{C}_6\text{H}_8\text{O}_6$
 Pseudonym: vitamin C
 TSCA Inventory: listed
 REACH Reg. No.: exempt, Annex IV
 EC No.: 200-066-2
 RTECS: C17650000 MFCD: 00064328
 KE No.: KE-01947
 Concentration: 10 - <20 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

100 mL Aluminium R3

Chemical: *eriochrome cyanine R (metal indicator)* CAS No.: 3564-18-9
 Classification: No criteria for classification or naming of chemical not required.
 Formula: $\text{C}_{23}\text{H}_{15}\text{Na}_3\text{O}_9\text{S}$
 Pseudonym: 3,3'-(1,1-dioxido-3H-2,1-benzoxathiol-3-ylidene)bis[6-hydroxy-5-methyl-benzoic acid, trisodium salt
 TSCA Inventory: listed
 EC No.: 222-641-7 MFCD: 00012411
 Concentration: < 0.10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

100 mL Aluminium R4

Chemical: *ammonium acetate* CAS No.: 631-61-8
 Classification: No criteria for classification or naming of chemical not required.
 Formula: $\text{C}_2\text{H}_7\text{NO}_2$
 TSCA Inventory: listed
 REACH Reg. No.: 01-2119828440-45-xxxx
 EC No.: 211-162-9
 RTECS: AF3675000 MFCD: 00013066
 KE No.: KE-01629
 Concentration: 40 - <60 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 **After SKIN Contact**
Not necessary.

4.1.2 **After EYE Contact**
Not necessary.

4.1.3 **After INHALATION of vapours**
Not necessary. ---

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 4/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

4.1.4 After ORAL Intake
Not necessary. ---

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed
No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

None.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 8B

Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

20 mL Aluminium R1

Chemical: *hydrochloric acid*

CAS No.: 7647-01-0

DNEL: [inh] 8 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 36 µg/L
PNEC = Predicted No Effect Concentration

EU value: [TWA] 5 ppm / 8 mg/m³; [STEL] 10 ppm / 15 mg/m³

TRGS 900 (DE): 2 mL/m³ / 3 mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 5/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 3* mg/m³

NIOSH: [C] 5 ppm / 7 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7 mg/m³

20 g Aluminium R2

Chemical: L(+)-ascorbic acid

CAS No.: 50-81-7

100 mL Aluminium R3

Chemical: eriochrome cyanine R (metal indicator)

CAS No.: 3564-18-9

100 mL Aluminium R4

Chemical: ammonium acetate

CAS No.: 631-61-8

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

8.2 Exposure controls

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

8.2.1 Respiratory protection

Not necessary.

8.2.2 Hand protection

Not necessary.

8.2.3 Eye protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

20 mL Aluminium R1

Appearance: liquid

Colour: colourless

Odor: odorless

pH:

0-1

Specific gravity:

1,02 g/cm³

Solubility in water:

0-100 %

20 g Aluminium R2

Appearance: powder (solid)

Colour: colourless

Odor: odorless

pH:

5-7

Solubility in water:

0-20 %

100 mL Aluminium R3

Appearance: liquid

Colour: red

Odor: odorless

pH:

2-3

100 mL Aluminium R4

Appearance: liquid

Colour: colourless

Odor: acetic

pH:

3-5

Solubility in water:

0-100 %

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 6/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

SECTION 10: Stability and reactivity

10.1 Reactivity

None

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to avoid

Not known. Observe labeled storage temperature. ---

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

20 mL Aluminium R1

Chemical:	<i>hydrochloric acid</i>	CAS No.: 7647-01-0
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion (solution), skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation nose, throat, larynx; cough, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in animals: laryngeal spasm; pulmonary edema	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: Deleterious Substance	
Japan ISHL:	listed $\geq 0,2\%/\geq 0,1\%$, Article 57-2 (SDS required)	
South Korea TCCA:	Accident Precaution Chemical Yes	
Korea Exist.Chem.Inventory:	KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.	
LD50 _{orl rat} :	900 mg/kg	
LC50 _{drum rbt} :	>5010 mg/kg	

20 g Aluminium R2

Chemical:	<i>L(+)-ascorbic acid</i>	CAS No.: 50-81-7
TSCA Inventory:	listed	
Korea Exist.Chem.Inventory:	KE-01947	
LD50 _{orl rat} :	11900 mg/kg	
LD50 _{ivn mus} :	518 mg/kg	

100 mL Aluminium R3

Chemical:	<i>eriochrome cyanine R (metal indicator)</i>	CAS No.: 3564-18-9
TSCA Inventory:	listed	
LD50 _{orl rat} :	>2000 mg/kg	

100 mL Aluminium R4

Chemical:	<i>ammonium acetate</i>	CAS No.: 631-61-8
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-01629	
LD50 _{orl rat} :	632 mg/kg	

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 7/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

20 mL Aluminium R1

Chemical: *hydrochloric acid*

CAS No.: 7647-01-0

PNEC(fresh water): 36 µg/L

PNEC = Predicted No Effect Concentration

LC50_{fish/96h}: 24.6 mg/L

EC50_{daphnia/48h}: 0.492 mg/L

EC50_{pseudokirchneriella subcapitata/72h}: 0.78 mg/L

Water hazard class (DE): 1 WGK No.: 0238

Storage class (VCI): 8 B

20 g Aluminium R2

Chemical: *L(+)-ascorbic acid*

CAS No.: 50-81-7

Water hazard class (DE): 1 WGK No.: 0737

Storage class (VCI): 13

100 mL Aluminium R3

Chemical: *eriochrome cyanine R (metal indicator)*

CAS No.: 3564-18-9

Water hazard class (DE): 2

Storage class (VCI): 10-13

100 mL Aluminium R4

Chemical: *ammonium acetate*

CAS No.: 631-61-8

Bio Toxicity: 1/4.5/4.8

LC50_{fish/96h}: 238 mg/L

Water hazard class (DE): 1 WGK No.: n.n.

Storage class (VCI): 12-13

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Not necessary.

13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

14.5 Environmental hazards

none

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 91802

NANOCOLOR Aluminium

Page: 8/8

Printing date: 15.11.2021

Date of issue: 25.07.2018

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H290 May be corrosive to metals.

16.1.2 List of relevant P phrases

P390 Absorb spillage to prevent material damage.

16.2 Training advice

Regular safety training.

16.3 Recommended restriction on use

None

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
SUVA .CH, Limits in air at work 2009, revised on 01.2009
KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU