

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 1/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

REF
Product name

985097
NANOCOLOR Tin 3

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

18 x 0.5 mL Tin 3 (R0)
1 x 1 g Tin 3 (R2)
1 x 10 mL Tin 3 (R3)
2 x 10 mL Tin 3 (R4)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valenciennener Str. 11, 52355 Düren, GERMANY
Tel.: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730

You find our current versions of SDS (22 languages) in Internet:

<http://www.mn-net.com/SDS>

SECTION 2: Hazard identification

2.0 Classification of the complete product



GHS02



GHS03



GHS05



GHS07



GHS08

Signal word

DANGER

Hazard identification

Hazard classes/categories

H225 Flam. Liq. 2
H272 Ox. Sol. 2
H290 Met. Corr. 1
H302 Acute Tox. 4 oral
H314 Skin Corr. 1A
H315 Skin Irrit. 2
H317 Skin Sens. 1
H319 Eye Irrit. 2
H334 Resp. Sens. 1
H335 STOT SE 3

2.1 Classification of the substance or mixture

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 2/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

0.5 mL Tin 3 (R0)



GHS05

Signal word

DANGER

Hazard identification

H314

Hazard classes/categories

Skin Corr. 1A

1 g Tin 3 (R2)



GHS03



GHS07



GHS08

Signal word

DANGER

Hazard identification

H272

H302

H315

H317

H319

H334

H335

Ox. Sol. 2

Acute Tox. 4 oral

Skin Irrit. 2

Skin Sens. 1

Eye Irrit. 2

Resp. Sens. 1

STOT SE 3

10 mL Tin 3 (R3)



GHS05

Signal word

DANGER

Hazard identification

H314

Hazard classes/categories

Skin Corr. 1B

10 mL Tin 3 (R4)



GHS02

Signal word

DANGER

Hazard identification

H225

H290

Flam. Liq. 2

Met. Corr. 1

2.2 Label elements

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 3/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

Oxidizing mixtures with signal word: **DANGER** and **H272** must not be labelled with H and P phrases **until 125 mL**.
Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

0.5 mL Tin 3 (R0)



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

1 g Tin 3 (R2)



GHS03



GHS07



GHS08

Signal word: DANGER

H317, H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P280sh, P342+311

Avoid breathing dust/vapours. Wear protective gloves/eye protection. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

10 mL Tin 3 (R3)



GHS05

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P280sh, P303+361+353, P305+351+338, P310

Do not breathe dust/vapours. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

10 mL Tin 3 (R4)



GHS02

Signal word: DANGER

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 4/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.). H290 "May be corrosive to metals." has only relevance for higher concentrations and larger amounts. The labelling GHS05 would be creating an "OVERLABELLING" (see GHS Directive 1272/2008/EC Annex I, chapter 1.5.2.1.3., until 125 mL no labelling necessary). ---

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. -

Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

0.5 mL Tin 3 (R0)

Chemical:	<i>sulfuric acid</i>	CAS No.:	7664-93-9
Classification:	H314, Skin Corr. 1B		
Formula:	H ₂ SO ₄ (•H ₂ O)		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119458838-20-xxxx		
EC No.:	231-639-5	Indice No.:	016-020-00-8
RTECS:	WS5600000		
KE No.:	KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.		
Concentration:	30 - <51 %		
acc. CLP (GHS):	H314, Skin Corr. 1B		

1 g Tin 3 (R2)

Chemical:	<i>sodium peroxodisulfate</i>	CAS No.:	7775-27-1
Classification:	H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2,		
	H334, Resp. Sens. 1, H335, STOT SE 3		
Formula:	Na ₂ O ₈ S ₂		
Pseudonym:	sodium persulfate		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119495975-15-xxxx		
EC No.:	231-892-1		
RTECS:	SE0525000		
KE No.:	KE-12369		
Concentration:	80 - <100 %		
acc. CLP (GHS):	H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2,		
	H334, Resp. Sens. 1, H335, STOT SE 3		

10 mL Tin 3 (R3)

Chemical:	<i>ammonium acetate</i>	CAS No.:	631-61-8
Classification:	No criteria for classification or naming of chemical not required.		
Formula:	C ₂ H ₇ NO ₂		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119828440-45-xxxx		
EC No.:	211-162-9		
RTECS:	AF3675000	MFCD:	00013066
KE No.:	KE-01629		
Concentration:	20 - <40 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 5/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

Chemical:	acetic acid	CAS No.:	64-19-7
Classification:	H226, Flam. Liq. 3, H314, Skin Corr. 1B		
Formula:	C ₂ H ₄ O ₂ ; CH ₃ -COOH		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119475328-30-xxxx		
EC No.:	200-580-7	Indice No.:	607-002-00-6
RTECS:	AF1225000	MFCD:	00036152
KE No.:	KE-00013		
Concentration:	25 - <50 %		
acc. CLP (GHS):	H314, Skin Corr. 1B		

10 mL Tin 3 (R4)

Chemical:	ethanol (denatured with 1%IPA/1%MEK, acc.2016/1867/EU)	CAS No.:	64-17-5
Classification:	H225, Flam. Liq. 2		
Formula:	C ₂ H ₆ O; C ₂ H ₅ OH		
Pseudonym:	ethyl alcohol, methylated spirit		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119457610-43-xxxx		
EC No.:	200-578-6	Indice No.:	603-002-00-5
RTECS:	KQ6300000	MFCD:	00003568
KE No.:	KE-13217		
Concentration:	90 - <98 %		
acc. CLP (GHS):	H225, Flam. Liq. 2		

Chemical:	hydrochloric acid	CAS No.:	7647-01-0
Classification:	H290, Met. Corr. 1, H314, Skin Corr. 1B, H331, Acute Tox. 3 inh.		
Formula:	HCl•H ₂ O		
Pseudonym:	aqueous hydrogen chloride		
TSCA Inventory:	listed		
REACH Reg. No.:	01-2119484862-27-xxxx		
EC No.:	231-595-7	Indice No.:	017-002-01-X
RTECS:	MW4025000		
KE No.:	KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.		
Concentration:	1 - <10 %		
acc. CLP (GHS):	H290, Met. Corr. 1		

Chemical:	9-phenyl-3-fluorone	CAS No.:	975-17-7
Classification:	No criteria for classification or naming of chemical not required.		
Formula:	C ₁₉ H ₁₂ O ₅		
Pseudonym:	2,6,7-trihydroxy-9-phenyl-3H-xanthen-3-one		
TSCA Inventory:	listed		
EC No.:	213-550-3	MFCD:	00005048
Concentration:	< 0.10 %		
acc. CLP (GHS):	The criteria for classification are not fulfilled.		

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.1

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 6/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences. ---

4.2 Most important symptoms and effects, both acute and delayed

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled. ---

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture

DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible. ---

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances. ---

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

not necessary

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4 ---

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 7/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

7.2 Conditions for safe storage, including any incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage.

Storage class (VCI): 3

Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

0.5 mL Tin 3 (R0)

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 2.5 µg/L

PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m³

TRGS 900 (DE): 0.1 E mg/m³

E/e respirable

Short-term exposure factor: 1 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m³

1 g Tin 3 (R2)

Chemical: *sodium peroxodisulfate*

CAS No.: 7775-27-1

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

10 mL Tin 3 (R3)

Chemical: *ammonium acetate*

CAS No.: 631-61-8

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *acetic acid*

CAS No.: 64-19-7

DNEL: [loc, inh] 25 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 3.058 mg/L

PNEC = Predicted No Effect Concentration

EU value: [TWA] 25 / [STEL] 50 mg/m³

TRGS 900 (DE): 10 mL/m³ / 25 mg/m³

E/e respirable

Short-term exposure factor: 2(I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³

NIOSH: [TWA] 10 ppm / 25 mg/m³; [STEL] 15 ppm / 37 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

10 mL Tin 3 (R4)

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 0.96 mg/L

PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³

E/e respirable

Short-term exposure factor: 4 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 8/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

SUVA(CH) MAK value: 500 ppm / 960 mg/m³
 NIOSH: [TWA] 1000 ppm / 1900 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: [TWA] 1000 ppm / 1900 mg/m³

Chemical: *hydrochloric acid* CAS No.: 7647-01-0

DNEL: [inh] 8 mg/m³
 DNEL = Derived No-Effect Level (for workers)

PNEC(fresh water): 36 µg/L
 PNEC = Predicted No Effect Concentration

EU value: [TWA] 5 ppm / 8 mg/m³; [STEL] 10 ppm / 15 mg/m³
 TRGS 900 (DE): 2 mL/m³ / 3 mg/m³
 E/e respirable

Short-term exposure factor: 2 (I), Y
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 3* mg/m³
 NIOSH: [C] 5 ppm / 7 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7 mg/m³

Chemical: *9-phenyl-3-fluorone* CAS No.: 975-17-7

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

0.5 mL Tin 3 (R0)

Appearance: liquid Colour: colourless Odor: odorless
 pH: 0-1
 Specific gravity: 1,28 g/cm³

1 g Tin 3 (R2)

Appearance: solid Colour: colourless Odor: odorless
 pH: 4,3
 Melting point: instable < 200 °C
 Specific gravity: 2,40 sol.
 Solubility in water: 0-35 %

10 mL Tin 3 (R3)

Appearance: liquid Colour: colourless Odor: acetic
 pH: 4-6

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 9/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

10 mL Tin 3 (R4)

Appearance: liquid

Colour: -

Odor: alcoholic

pH:

0-1

Flash point:

18 °C

Specific gravity:

0,79 g/cm³

9.2 Other information

Data for the other parameters of the mixtures are not available, because no registration and no chemical safety report is required.

Relevant Properties of Substance Group

Substances are very volatile and form flammable vapour-air mixtures. ---

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

10.2 Chemical stability

No known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Not necessary. Observe labeled storage temperature. ---

10.5 Incompatible materials

Avoid contact with strong acids or alkalines.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

0.5 mL Tin 3 (R0)

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

TSCA Inventory:

listed

California Proposition 65 List: not listed

ACGIH:

1 ppm

Exposure Routes:

inhalation, ingestion, skin and/or eye contact

Target Organs:

Eyes, skin, respiratory system, teeth

Symptoms:

irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;

dental erosion; eye, skin burns; dermatitis

Australia NICNAS:

not listed

Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR:

not listed, Japan PDSCL: Deleterious Substance

Japan ISHL:

listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA:

Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory:

KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

LD50_{orl rat}:

2140 mg/kg

LC50_{ihl rat}:

[8h] 600/ [4h] 850 mg/m³

TRGS 905 (DE):

Kat 4

1 g Tin 3 (R2)

Chemical: *sodium peroxodisulfate*

CAS No.: 7775-27-1

TSCA Inventory:

listed

California Proposition 65 List: not listed

Australia NICNAS:

Yes (PEC/18)

Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR:

not listed, Japan PDSCL: not listed

Japan ISHL:

listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA:

not listed

Korea Exist.Chem.Inventory:

KE-12369

LD50_{orl rat}:

902 mg/kg

Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 10/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

symptoms or breathing difficulties if inhaled.

10 mL Tin 3 (R3)

Chemical:	<i>ammonium acetate</i>	CAS No.: 631-61-8
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-01629	
LD50 _{orl rat} :	632 mg/kg	

Chemical:	<i>acetic acid</i>	CAS No.: 64-19-7
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system, teeth	
Symptoms:	irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, hyperkeratosis; conjunctivitis, lacrimation (di	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-00013	
LD50 _{orl rat} :	3310 mg/kg	
LC50 _{inh rat} :	[4h] 8.5-12,7 mg/L	
LD50 _{drm rbt} :	1060 mg/kg	
LD50 _{oral mouse} :	4960 mg/kg	

10 mL Tin 3 (R4)

Chemical:	<i>ethanol</i>	CAS No.: 64-17-5
TSCA Inventory:	listed	California Proposition 65 List: not listed
ACGIH:	1000 ppm	
Exposure Routes:	inhalation, ingestion, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system	
Symptoms:	irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-13217	
LD50 _{orl rat} :	6200 mg/kg	
LC _{Low} _{ihl gpg} :	21.9 g/m ³	
LC _{Low} _{orl hmn} :	1400 mg/kg	
LC50 _{ihl mouse} :	[4h] 39 g/m ³	
LC50 _{ihl rat} :	[10h] 20 g/m ³	
LD50 _{drm rbt} :	20 000 mg/kg	
LD50 _{oral mouse} :	3450 mg/kg	

TRGS 905 (DE): K5, M5, R_F-C

Chemical:	<i>hydrochloric acid</i>	CAS No.: 7647-01-0
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, ingestion (solution), skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation nose, throat, larynx; cough, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in animals: laryngeal spasm; pulmonary ede	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: Deleterious Substance	
Japan ISHL:	listed ≥0,2%/≥0,1%, Article 57-2 (SDS required)	
South Korea TCCA:	Accident Precaution Chemical Yes	
Korea Exist.Chem.Inventory:	KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.	
LD50 _{orl rat} :	900 mg/kg	
LC50 _{drm rbt} :	>5010 mg/kg	

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 11/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

Chemical: 9-phenyl-3-fluorone
TSCA Inventory: listed

CAS No.: 975-17-7

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

0.5 mL Tin 3 (R0)

Chemical: *sulfuric acid*
Avoid contact of substance/mixture to environment.
PNEC_(fresh water): 2.5 µg/L
PNEC = Predicted No Effect Concentration
LC50_{fish/96h}: [NOEC, 65d] 25 µg/L
EC50_{daphnia/48h}: 100 mg/L
EC10_{pseudomonas putida/16h}: [72h] 100 mg/L
Water hazard class (DE): 1 WGK No.: 0182
Storage class (VCI): 8 B

CAS No.: 7664-93-9

1 g Tin 3 (R2)

Chemical: *sodium peroxodisulfate*
Water hazard class (DE): 1 WGK No.: 1352
Storage class (VCI): 5.1 B

CAS No.: 7775-27-1

10 mL Tin 3 (R3)

Chemical: *ammonium acetate*
Bio Toxicity: 1/4.5/4.8
LC50_{fish/96h}: 238 mg/L
Water hazard class (DE): 1 WGK No.: n.n.
Storage class (VCI): 12-13

CAS No.: 631-61-8

Chemical: *acetic acid*
Avoid contact of substance/mixture to environment.
PNEC_(fresh water): 3.058 mg/L
PNEC = Predicted No Effect Concentration
LC50_{fish/96h}: [4d] 301-1000 mg/L
EC50_{daphnia/48h}: 301-1000 mg/L
IC50_{scenedesmus quadricauda/72h}: 301-1000 mg/L
Water hazard class (DE): 1 WGK No.: 0093
Dispersion coefficient_(octanol-water): -0,17
Storage class (VCI): 8 B

CAS No.: 64-19-7

10 mL Tin 3 (R4)

Chemical: *ethanol*
PNEC_(fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration
LC50_{daphnia magna/48h}: >100 mg/L
LC50_{pimephales promelas/96h}: 13400 - 15100 mg/L
LC50_{leuciscus idus/96h}: [48h] 8140 mg/L
LC50_{fish/96h}: 13 g/L
EC50_{daphnia/48h}: 9.3-14.2 g/L
IC50_{scenedesmus quadricauda/72h}: [7d] 5000 mg/L
EC10_{pseudomonas putida/16h}: [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Dispersion coefficient_(octanol-water): -0.31
Storage class (VCI): 3

CAS No.: 64-17-5

Chemical: *hydrochloric acid*
PNEC_(fresh water): 36 µg/L
PNEC = Predicted No Effect Concentration
LC50_{fish/96h}: 24.6 mg/L
EC50_{daphnia/48h}: 0.492 mg/L
EC50_{pseudokirchneriella subcapitata/72h}: 0.78 mg/L
Water hazard class (DE): 1 WGK No.: 0238

CAS No.: 7647-01-0

www.mn-net.com

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 12/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

Storage class (VCI): 8 B

Chemical: 9-phenyl-3-fluorone

CAS No.: 975-17-7

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

SECTION 14: Transport information

14.1. UN number: 3316 14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9 14.4. Packing group: II

Road transport

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport

PAX: 960 max. weight PAX: 10 KG

CAO: 960 max. weight CAO: 10 KG

Maritime transport

EmS: F-A, S-P Storage category: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** ($\leq 30 \text{ mL} / \Sigma \leq 500 \text{ mL}$) = ADR/ IATA E2

or

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sulfuric acid, hydrochloric acid solution)

14.3 Class: 8 14.4 Packing group: II

Road transport

Classification code: C1 Tunnel restriction code: E

Limited Quantity: 1 L

Excepted Quantity: E 2

Air transport

PAX: 851 max. weight PAX: 1 L

CAO: 855 max. weight CAO: 30 L

Maritime transport

EmS: F-A, S-B Storage category: B

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 13/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013
German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung - GefStoffV), revised on November 2010, according to Directive 98/24/EC
TRGS 200, German engineering rules governing the classification and labelling of hazardous substances, preparations and products, updated October 2011
MN Leaflet/User manual, also see www.mn-net.com
Look for your country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts ---

SECTION 16: Other information

16.1 List of H and P phrases

16.1.1 List of relevant H phrases

H225 Highly flammable liquid and vapour.
H272 May intensify fire; oxidizer.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

16.1.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P260sh Do not breathe dust/vapours.
P261sh Avoid breathing dust/vapours.
P264W Wash with water thoroughly after handling.
P280sh Wear protective gloves/eye protection.
P301+312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P330 Rinse mouth.
P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P390 Absorb spillage to prevent material damage.
P403+233 Store in a well-ventilated place. Keep container tightly closed.

16.2 Training advice

Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

16.3 Recommended restriction on use

Only for professional user.
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
An individual package of this product or test kit has a moderate hazardous potential.

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

Safety Data Sheet

according to Regulations 1907/2006/EC (REACH) and 2015/830/EU

REF: 985097

NANOCOLOR Tin 3

Page: 14/14

Printing date: 15.11.2021

Date of issue: 14.12.2020

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS
 Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress
 Regulation 849/2021/EU, 4th adaptation of CLP regulation to technical and scientific progress
 TRGS 900, German engineering rules governing limits in air at work, updated 03/2019
 SUVA .CH, Limits in air at work 2009, revised on 01.2009
 TRGS 907, German engineering rules governing listing of substances and causes of sensitizations, updated November 2011
 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU
 2017-08 Adaption of new ethanol denaturation 2016/1867/EU